

Senate Bill No. 1284

CHAPTER 645

An act to amend Sections 13385 and 13385.1 of the Water Code, relating to water quality.

[Approved by Governor September 30, 2010. Filed with
Secretary of State September 30, 2010.]

LEGISLATIVE COUNSEL'S DIGEST

SB 1284, Ducheny. Water quality: mandatory minimum civil penalties.

(1) Under existing law, the State Water Resources Control Board and the California regional water quality control boards prescribe waste discharge requirements in accordance with the federal Clean Water Act and the Porter-Cologne Water Quality Control Act (state act). The state act, with certain exceptions, imposes a mandatory minimum penalty of \$3,000 for each serious waste discharge violation or for certain other described violations if those violations occur 4 or more times in any period of 6 consecutive months, as prescribed. For purposes of the mandatory minimum penalty, a serious waste discharge violation includes a failure to file a specified discharge monitoring report for each complete period of 30 days following the deadline for submitting the report. Civil liability may be imposed administratively by the state board or a regional board, or those boards may request the Attorney General to petition the superior court to impose the liability.

This bill would provide that a failure to file a discharge monitoring report is not a serious waste discharge violation if the discharger submits a specified statement to the state board or the regional board. The bill, until January 1, 2014, would require, with respect to certain violations involving the failure to file a discharge monitoring report, the mandatory minimum penalty of \$3,000 to be assessed only for each required report that is not timely filed, and not for each 30-day period following the deadline for submitting the report.

(2) The state act includes within the exceptions to the imposition of those mandatory minimum penalties a violation of an effluent limitation if the waste discharge complies with a certain time schedule order and other requirements are met. The act prohibits, for the purposes of that exception, a time schedule order from exceeding 5 years in length, except as otherwise provided.

This bill, with a specified exception, would authorize a regional board, following a public hearing and upon a showing that the discharger is making diligent progress toward bringing the waste discharge into compliance with the effluent limitation, to extend the time schedule for an additional period not exceeding 5 years in length, under specified conditions.

The people of the State of California do enact as follows:

SECTION 1. Section 13385 of the Water Code is amended to read:

13385. (a) A person who violates any of the following shall be liable civilly in accordance with this section:

(1) Section 13375 or 13376.

(2) A waste discharge requirement or dredged or fill material permit issued pursuant to this chapter or any water quality certification issued pursuant to Section 13160.

(3) A requirement established pursuant to Section 13383.

(4) An order or prohibition issued pursuant to Section 13243 or Article 1 (commencing with Section 13300) of Chapter 5, if the activity subject to the order or prohibition is subject to regulation under this chapter.

(5) A requirement of Section 301, 302, 306, 307, 308, 318, 401, or 405 of the Clean Water Act, as amended.

(6) A requirement imposed in a pretreatment program approved pursuant to waste discharge requirements issued under Section 13377 or approved pursuant to a permit issued by the administrator.

(b) Civil liability may be imposed by the superior court in an amount not to exceed the sum of both of the following:

(1) Twenty-five thousand dollars (\$25,000) for each day in which the violation occurs.

(2) Where there is a discharge, any portion of which is not susceptible to cleanup or is not cleaned up, and the volume discharged but not cleaned up exceeds 1,000 gallons, an additional liability not to exceed twenty-five dollars (\$25) multiplied by the number of gallons by which the volume discharged but not cleaned up exceeds 1,000 gallons.

The Attorney General, upon request of a regional board or the state board, shall petition the superior court to impose the liability.

(c) Civil liability may be imposed administratively by the state board or a regional board pursuant to Article 2.5 (commencing with Section 13323) of Chapter 5 in an amount not to exceed the sum of both of the following:

(1) Ten thousand dollars (\$10,000) for each day in which the violation occurs.

(2) Where there is a discharge, any portion of which is not susceptible to cleanup or is not cleaned up, and the volume discharged but not cleaned up exceeds 1,000 gallons, an additional liability not to exceed ten dollars (\$10) multiplied by the number of gallons by which the volume discharged but not cleaned up exceeds 1,000 gallons.

(d) For purposes of subdivisions (b) and (c), “discharge” includes any discharge to navigable waters of the United States, any introduction of pollutants into a publicly owned treatment works, or any use or disposal of sewage sludge.

(e) In determining the amount of any liability imposed under this section, the regional board, the state board, or the superior court, as the case may be, shall take into account the nature, circumstances, extent, and gravity of the violation or violations, whether the discharge is susceptible to cleanup

or abatement, the degree of toxicity of the discharge, and, with respect to the violator, the ability to pay, the effect on its ability to continue its business, any voluntary cleanup efforts undertaken, any prior history of violations, the degree of culpability, economic benefit or savings, if any, resulting from the violation, and other matters that justice may require. At a minimum, liability shall be assessed at a level that recovers the economic benefits, if any, derived from the acts that constitute the violation.

(f) (1) Except as provided in paragraph (2), for the purposes of this section, a single operational upset that leads to simultaneous violations of more than one pollutant parameter shall be treated as a single violation.

(2) (A) For the purposes of subdivisions (h) and (i), a single operational upset in a wastewater treatment unit that treats wastewater using a biological treatment process shall be treated as a single violation, even if the operational upset results in violations of more than one effluent limitation and the violations continue for a period of more than one day, if all of the following apply:

(i) The discharger demonstrates all of the following:

(I) The upset was not caused by wastewater treatment operator error and was not due to discharger negligence.

(II) But for the operational upset of the biological treatment process, the violations would not have occurred nor would they have continued for more than one day.

(III) The discharger carried out all reasonable and immediately feasible actions to reduce noncompliance with the applicable effluent limitations.

(ii) The discharger is implementing an approved pretreatment program, if so required by federal or state law.

(B) Subparagraph (A) only applies to violations that occur during a period for which the regional board has determined that violations are unavoidable, but in no case may that period exceed 30 days.

(g) Remedies under this section are in addition to, and do not supersede or limit, any other remedies, civil or criminal, except that no liability shall be recoverable under Section 13261, 13265, 13268, or 13350 for violations for which liability is recovered under this section.

(h) (1) Notwithstanding any other provision of this division, and except as provided in subdivisions (j), (k), and (l), a mandatory minimum penalty of three thousand dollars (\$3,000) shall be assessed for each serious violation.

(2) For the purposes of this section, a “serious violation” means any waste discharge that violates the effluent limitations contained in the applicable waste discharge requirements for a Group II pollutant, as specified in Appendix A to Section 123.45 of Title 40 of the Code of Federal Regulations, by 20 percent or more or for a Group I pollutant, as specified in Appendix A to Section 123.45 of Title 40 of the Code of Federal Regulations, by 40 percent or more.

(i) (1) Notwithstanding any other provision of this division, and except as provided in subdivisions (j), (k), and (l), a mandatory minimum penalty of three thousand dollars (\$3,000) shall be assessed for each violation whenever the person does any of the following four or more times in any

period of six consecutive months, except that the requirement to assess the mandatory minimum penalty shall not be applicable to the first three violations:

- (A) Violates a waste discharge requirement effluent limitation.
- (B) Fails to file a report pursuant to Section 13260.
- (C) Files an incomplete report pursuant to Section 13260.
- (D) Violates a toxicity effluent limitation contained in the applicable waste discharge requirements where the waste discharge requirements do not contain pollutant-specific effluent limitations for toxic pollutants.

(2) For the purposes of this section, a “period of six consecutive months” means the period commencing on the date that one of the violations described in this subdivision occurs and ending 180 days after that date.

(j) Subdivisions (h) and (i) do not apply to any of the following:

(1) A violation caused by one or any combination of the following:

- (A) An act of war.
- (B) An unanticipated, grave natural disaster or other natural phenomenon of an exceptional, inevitable, and irresistible character, the effects of which could not have been prevented or avoided by the exercise of due care or foresight.

(C) An intentional act of a third party, the effects of which could not have been prevented or avoided by the exercise of due care or foresight.

(D) (i) The operation of a new or reconstructed wastewater treatment unit during a defined period of adjusting or testing, not to exceed 90 days for a wastewater treatment unit that relies on a biological treatment process and not to exceed 30 days for any other wastewater treatment unit, if all of the following requirements are met:

(I) The discharger has submitted to the regional board, at least 30 days in advance of the operation, an operations plan that describes the actions the discharger will take during the period of adjusting and testing, including steps to prevent violations and identifies the shortest reasonable time required for the period of adjusting and testing, not to exceed 90 days for a wastewater treatment unit that relies on a biological treatment process and not to exceed 30 days for any other wastewater treatment unit.

(II) The regional board has not objected in writing to the operations plan.

(III) The discharger demonstrates that the violations resulted from the operation of the new or reconstructed wastewater treatment unit and that the violations could not have reasonably been avoided.

(IV) The discharger demonstrates compliance with the operations plan.

(V) In the case of a reconstructed wastewater treatment unit, the unit relies on a biological treatment process that is required to be out of operation for at least 14 days in order to perform the reconstruction, or the unit is required to be out of operation for at least 14 days and, at the time of the reconstruction, the cost of reconstructing the unit exceeds 50 percent of the cost of replacing the wastewater treatment unit.

(ii) For the purposes of this section, “wastewater treatment unit” means a component of a wastewater treatment plant that performs a designated treatment function.

(2) (A) Except as provided in subparagraph (B), a violation of an effluent limitation where the waste discharge is in compliance with either a cease and desist order issued pursuant to Section 13301 or a time schedule order issued pursuant to Section 13300, if all of the following requirements are met:

(i) The cease and desist order or time schedule order is issued after January 1, 1995, but not later than July 1, 2000, specifies the actions that the discharger is required to take in order to correct the violations that would otherwise be subject to subdivisions (h) and (i), and the date by which compliance is required to be achieved and, if the final date by which compliance is required to be achieved is later than one year from the effective date of the cease and desist order or time schedule order, specifies the interim requirements by which progress towards compliance will be measured and the date by which the discharger will be in compliance with each interim requirement.

(ii) The discharger has prepared and is implementing in a timely and proper manner, or is required by the regional board to prepare and implement, a pollution prevention plan that meets the requirements of Section 13263.3.

(iii) The discharger demonstrates that it has carried out all reasonable and immediately feasible actions to reduce noncompliance with the waste discharge requirements applicable to the waste discharge and the executive officer of the regional board concurs with the demonstration.

(B) Subdivisions (h) and (i) shall become applicable to a waste discharge on the date the waste discharge requirements applicable to the waste discharge are revised and reissued pursuant to Section 13380, unless the regional board does all of the following on or before that date:

(i) Modifies the requirements of the cease and desist order or time schedule order as may be necessary to make it fully consistent with the reissued waste discharge requirements.

(ii) Establishes in the modified cease and desist order or time schedule order a date by which full compliance with the reissued waste discharge requirements shall be achieved. For the purposes of this subdivision, the regional board may not establish this date later than five years from the date the waste discharge requirements were required to be reviewed pursuant to Section 13380. If the reissued waste discharge requirements do not add new effluent limitations or do not include effluent limitations that are more stringent than those in the original waste discharge requirements, the date shall be the same as the final date for compliance in the original cease and desist order or time schedule order or five years from the date that the waste discharge requirements were required to be reviewed pursuant to Section 13380, whichever is earlier.

(iii) Determines that the pollution prevention plan required by clause (ii) of subparagraph (A) is in compliance with the requirements of Section 13263.3 and that the discharger is implementing the pollution prevention plan in a timely and proper manner.

(3) A violation of an effluent limitation where the waste discharge is in compliance with either a cease and desist order issued pursuant to Section 13301 or a time schedule order issued pursuant to Section 13300 or 13308, if all of the following requirements are met:

(A) The cease and desist order or time schedule order is issued on or after July 1, 2000, and specifies the actions that the discharger is required to take in order to correct the violations that would otherwise be subject to subdivisions (h) and (i).

(B) The regional board finds that, for one of the following reasons, the discharger is not able to consistently comply with one or more of the effluent limitations established in the waste discharge requirements applicable to the waste discharge:

(i) The effluent limitation is a new, more stringent, or modified regulatory requirement that has become applicable to the waste discharge after the effective date of the waste discharge requirements and after July 1, 2000, new or modified control measures are necessary in order to comply with the effluent limitation, and the new or modified control measures cannot be designed, installed, and put into operation within 30 calendar days.

(ii) New methods for detecting or measuring a pollutant in the waste discharge demonstrate that new or modified control measures are necessary in order to comply with the effluent limitation and the new or modified control measures cannot be designed, installed, and put into operation within 30 calendar days.

(iii) Unanticipated changes in the quality of the municipal or industrial water supply available to the discharger are the cause of unavoidable changes in the composition of the waste discharge, the changes in the composition of the waste discharge are the cause of the inability to comply with the effluent limitation, no alternative water supply is reasonably available to the discharger, and new or modified measures to control the composition of the waste discharge cannot be designed, installed, and put into operation within 30 calendar days.

(iv) The discharger is a publicly owned treatment works located in Orange County that is unable to meet effluent limitations for biological oxygen demand, suspended solids, or both, because the publicly owned treatment works meets all of the following criteria:

(I) Was previously operating under modified secondary treatment requirements pursuant to Section 301(h) of the Clean Water Act (33 U.S.C. Sec. 1311(h)).

(II) Did vote on July 17, 2002, not to apply for a renewal of the modified secondary treatment requirements.

(III) Is in the process of upgrading its treatment facilities to meet the secondary treatment standards required by Section 301(b)(1)(B) of the Clean Water Act (33 U.S.C. Sec. 1311(b)(1)(B)).

(C) (i) The regional board establishes a time schedule for bringing the waste discharge into compliance with the effluent limitation that is as short as possible, taking into account the technological, operational, and economic factors that affect the design, development, and implementation of the control

measures that are necessary to comply with the effluent limitation. Except as provided in clause (ii), for the purposes of this subdivision, the time schedule shall not exceed five years in length.

(ii) (I) For purposes of the upgrade described in subclause (III) of clause (iv) of subparagraph (B), the time schedule shall not exceed 10 years in length.

(II) Following a public hearing, and upon a showing that the discharger is making diligent progress toward bringing the waste discharge into compliance with the effluent limitation, the regional board may extend the time schedule for an additional period not exceeding five years in length, if the discharger demonstrates that the additional time is necessary to comply with the effluent limitation. This subclause does not apply to a time schedule described in subclause (I).

(iii) If the time schedule exceeds one year from the effective date of the order, the schedule shall include interim requirements and the dates for their achievement. The interim requirements shall include both of the following:

(I) Effluent limitations for the pollutant or pollutants of concern.

(II) Actions and milestones leading to compliance with the effluent limitation.

(D) The discharger has prepared and is implementing in a timely and proper manner, or is required by the regional board to prepare and implement, a pollution prevention plan pursuant to Section 13263.3.

(k) (1) In lieu of assessing all or a portion of the mandatory minimum penalties pursuant to subdivisions (h) and (i) against a publicly owned treatment works serving a small community, the state board or the regional board may elect to require the publicly owned treatment works to spend an equivalent amount towards the completion of a compliance project proposed by the publicly owned treatment works, if the state board or the regional board finds all of the following:

(A) The compliance project is designed to correct the violations within five years.

(B) The compliance project is in accordance with the enforcement policy of the state board, excluding any provision in the policy that is inconsistent with this section.

(C) The publicly owned treatment works has prepared a financing plan to complete the compliance project.

(2) For the purposes of this subdivision, “a publicly owned treatment works serving a small community” means a publicly owned treatment works serving a population of 10,000 persons or fewer or a rural county, with a financial hardship as determined by the state board after considering such factors as median income of the residents, rate of unemployment, or low population density in the service area of the publicly owned treatment works.

(l) (1) In lieu of assessing penalties pursuant to subdivision (h) or (i), the state board or the regional board, with the concurrence of the discharger, may direct a portion of the penalty amount to be expended on a supplemental environmental project in accordance with the enforcement policy of the state board. If the penalty amount exceeds fifteen thousand dollars (\$15,000),

the portion of the penalty amount that may be directed to be expended on a supplemental environmental project may not exceed fifteen thousand dollars (\$15,000) plus 50 percent of the penalty amount that exceeds fifteen thousand dollars (\$15,000).

(2) For the purposes of this section, a “supplemental environmental project” means an environmentally beneficial project that a person agrees to undertake, with the approval of the regional board, that would not be undertaken in the absence of an enforcement action under this section.

(3) This subdivision applies to the imposition of penalties pursuant to subdivision (h) or (i) on or after January 1, 2003, without regard to the date on which the violation occurs.

(m) The Attorney General, upon request of a regional board or the state board, shall petition the appropriate court to collect any liability or penalty imposed pursuant to this section. Any person who fails to pay on a timely basis any liability or penalty imposed under this section shall be required to pay, in addition to that liability or penalty, interest, attorney’s fees, costs for collection proceedings, and a quarterly nonpayment penalty for each quarter during which the failure to pay persists. The nonpayment penalty shall be in an amount equal to 20 percent of the aggregate amount of the person’s penalty and nonpayment penalties that are unpaid as of the beginning of the quarter.

(n) (1) Subject to paragraph (2), funds collected pursuant to this section shall be deposited in the State Water Pollution Cleanup and Abatement Account.

(2) (A) Notwithstanding any other provision of law, moneys collected for a violation of a water quality certification in accordance with paragraph (2) of subdivision (a) or for a violation of Section 401 of the Clean Water Act (33 U.S.C. Sec. 1341) in accordance with paragraph (5) of subdivision (a) shall be deposited in the Waste Discharge Permit Fund and separately accounted for in that fund.

(B) The funds described in subparagraph (A) shall be expended by the state board, upon appropriation by the Legislature, to assist regional boards, and other public agencies with authority to clean up waste or abate the effects of the waste, in cleaning up or abating the effects of the waste on waters of the state or for the purposes authorized in Section 13443.

(o) The state board shall continuously report and update information on its Internet Web site, but at a minimum, annually on or before January 1, regarding its enforcement activities. The information shall include all of the following:

(1) A compilation of the number of violations of waste discharge requirements in the previous calendar year, including stormwater enforcement violations.

(2) A record of the formal and informal compliance and enforcement actions taken for each violation, including stormwater enforcement actions.

(3) An analysis of the effectiveness of current enforcement policies, including mandatory minimum penalties.

(p) The amendments made to subdivisions (f), (h), (i), and (j) during the second year of the 2001–02 Regular Session apply only to violations that occur on or after January 1, 2003.

SEC. 2. Section 13385.1 of the Water Code is amended to read:

13385.1. (a) (1) For the purposes of subdivision (h) of Section 13385, a “serious violation” also means a failure to file a discharge monitoring report required pursuant to Section 13383 for each complete period of 30 days following the deadline for submitting the report, if the report is designed to ensure compliance with limitations contained in waste discharge requirements that contain effluent limitations. This paragraph applies only to violations that occur on or after January 1, 2004.

(2) (A) Notwithstanding paragraph (1), a failure to file a discharge monitoring report is not a serious violation for purposes of subdivision (h) of Section 13385 at any time prior to the date a discharge monitoring report is required to be filed or within 30 days after receiving written notice from the state board or a regional board of the need to file a discharge monitoring report, if the discharger submits a written statement to the state board or the regional board that includes both of the following:

(i) A statement that there were no discharges to waters of the United States reportable under the applicable waste discharge requirements during the relevant monitoring period.

(ii) The reason or reasons the required report was not submitted to the regional board by the deadline for filing that report.

(B) Upon the request of the state board or regional board, the discharger may be required to support the statement with additional explanation or evidence.

(C) If, in a statement submitted pursuant to subparagraph (A), the discharger willfully states as true any material fact that he or she knows to be false, that person shall be subject to a civil penalty not exceeding ten thousand dollars (\$10,000). Any public prosecutor may bring an action for a civil penalty under this subparagraph in the name of the people of the State of California, and the penalty imposed shall be enforced as a civil judgment.

(D) Notwithstanding subparagraph (A), the failure to file a discharge monitoring report is subject to penalties in accordance with subdivisions (c) and (e) of Section 13385.

(b) (1) Notwithstanding paragraph (1) of subdivision (a), a mandatory minimum penalty shall continue to apply and shall be assessed pursuant to subdivision (h) of Section 13385, but only for each required report that is not timely filed, and shall not be separately assessed for each 30-day period following the deadline for submitting the report, if both of the following conditions are met:

(A) The discharger did not on any occasion previously receive, from the state board or a regional board, a complaint to impose liability pursuant to subdivision (b) or (c) of Section 13385 arising from a failure to timely file a discharge monitoring report, a notice of violation for failure to timely file a discharge monitoring report, or a notice of the obligation to file a discharge

monitoring report required pursuant to Section 13383, in connection with its corresponding waste discharge requirements.

(B) The discharges during the period or periods covered by the report do not violate effluent limitations, as defined in subdivision (d), contained in waste discharge requirements.

(2) Paragraph (1) shall only apply to a discharger who does both of the following:

(A) Files a discharge monitoring report that had not previously been timely filed within 30 days after the discharger receives written notice, including notice transmitted by electronic mail, from the state board or regional board concerning the failure to timely file the report.

(B) Pays all penalties assessed by the state board or regional board in accordance with paragraph (1) within 30 days after an order is issued to pay these penalties pursuant to Section 13385.

(3) Notwithstanding paragraph (1), the failure to file a discharge monitoring report is subject to penalties in accordance with subdivisions (c) and (e) of Section 13385.

(4) This subdivision shall become inoperative on January 1, 2014.

(c) (1) Notwithstanding any other provision of law, moneys collected pursuant to this section for a failure to timely file a report, as described in subdivision (a), shall be deposited in the State Water Pollution Cleanup and Abatement Account.

(2) Notwithstanding Section 13340 of the Government Code, the funds described in paragraph (1) are continuously appropriated, without regard to fiscal years, to the state board for expenditure by the state board to assist regional boards, and other public agencies with authority to clean up waste or abate the effects of the waste, in responding to significant water pollution problems.

(d) For the purposes of this section, paragraph (2) of subdivision (f) of Section 13385, and subdivisions (h), (i), and (j) of Section 13385 only, “effluent limitation” means a numeric restriction or a numerically expressed narrative restriction, on the quantity, discharge rate, concentration, or toxicity units of a pollutant or pollutants that may be discharged from an authorized location. An effluent limitation may be final or interim, and may be expressed as a prohibition. An effluent limitation, for those purposes, does not include a receiving water limitation, a compliance schedule, or a best management practice.

(e) The amendments made to this section by Senate Bill 1284 of the 2009–10 Regular Session of the Legislature shall apply to violations for which an administrative civil liability complaint or a judicial complaint has not been filed before July 1, 2010, without regard to the date on which the violations occurred.